2331-USA

2331-USA bulb specifications:

category: Miniature

volt: 6

amp: **4.5 / 4.5** watt: **27 / 27**

base: **P15d30** - Double Contact Prefocus Flanged also known as Double Contact Prefocus Bayonet

also known as **P15d** (Europe) also known as **P30d** (USA)

glass: **RP11** filament: **C6/C6**

fil.res.: 1.33 / 1.33 ohm m.o.l.: 2.25 inches l.c.l.: 1.13 inches i.lumens: 12.6

cp: **1**

d.hours: **400**

notes:

clear or opaque glass top Headlight

paint top with high heat black muffler paint to make opaque

scrape opaque paint off to make clear

usually clear top available uses socket: <u>DB-P15D30-1</u>

2331-USA

also known as Cross-Reference:

2331-USA

06-027-67DF

06-027-67DF-CANIMPEX

2305 [alternate 2] 2305-BECKMAN

2331

2331-BOWES 2331-CARLTON

2331-GE


2331-MAZDA 2331-SOLITE 2331-TUNGSOL

2331-WESTINGHOUSE

2331GE 8000152 GE2331 MB-23310 MB23310



typical photo of **2331-USA** bulb type (your bulb may look slightly different)



2331-USA

have been found in equipment: Chrysler

1937-C-17 HEADLAMP Automobile 1937-C17 HEADLAMP Automobile 1937 HEADLAMP Automobile 1938 HEADLAMP Automobile 1939 HEADLAMP Automobile

Desoto

1937 HEADLAMP Automobile 1938 HEADLAMP Automobile 1940 HEADLAMP Automobile

Dodge

1936 HEADLAMP Automobile 1938 HEADLAMP Automobile 1939 HEADLAMP Automobile

Hudson

1937 HEADLAMP Automobile 1938 HEADLAMP Automobile 1939 HEADLAMP Automobile

Nash

1937 HEADLAMP Automobile 1938 HEADLAMP Automobile 1939 HEADLAMP Automobile

Plymouth

1936 HEADLAMP Automobile 1937 HEADLAMP Automobile 1938 HEADLAMP Automobile 1939 HEADLAMP Automobile

Studebaker

1937 HEADLAMP Automobile 1938 HEADLAMP Automobile 1939 HEADLAMP Automobile

